AUTHOR INDEX, VOLUME 10

Alexander, L. E.: Chain Folding Conformations in Polyamides: Models from the Structures of Cyclic Oligomers, 759
Allen, E. H., Faulkner, D. L., Goldfinger, G., and McGregor, R.: Effect of the Continuous Medium on the Color of Discontinuous Substrates. III. Observations Regarding the "Dry" and "Wet" Reflectances of Textile Substrates, 203
Ambrose, R. J.: see Hergenrother, W. L.
Anand, L. C.: see Gaylord, N. G.
Anderson, C.: see Friedman, E.
Andrews, E. H.: see Phillips, P. J.
Ang, T. L., Chang, R. C., Santee, E. R., Jr., and Harwood, H. J.: Synthesis of Alternating 1,1,4,4-Tetradeuteriobutadiene-Methacrylonitrile Copolymers and Their Characterization by 300 MH_Z NMR Spectroscopy, 791
Arai, S.: see Tagawa, S.
Arthur, J. C., Jr.: see Hinojosa, O.
Atkins, E. D. T., Gaussen, R., Isaac, D. H., Nandanwar, V., and Sheehan, J. K.: X-Ray Fiber Diffraction Patterns from Chondroitin-6-Sulphate, 863
Bantjes, A.: see de Visser, A. C.
Bhateja, S. K. and Pae, K. D.: Effects of Hydrostatic Pressure on the Mechanical Behavior of Polyimide, 531
Bittiger, H. and Husemann, E.: Crystal Morphology of Precipitated Mannan, 367
– and Husemann, E.: Crystal Morphology of Precipitated Cellulose, 549
Boss, C. R.: see Chien, J. C. W.
Brady, T. E. and Yeh, G. S. Y.: Effect of Annealing Cold Drawn Polycarbonate Below T_g, 731
Brasch, J. W.: see Jackson, J. F.
Breitenbach, J. W., Goldenberg, H., and Olaj, O. F.: ESR Signals in the Polymerization of Styrene Divinylbenzene Systems, 911
Brown, N. and Parrish, M. F.: Effect of Liquid Nitrogen on the Tensile Strength of Polyethylene and Polytetrafluoroethylene, 777
Brown, R. T., DeVries, K. L., and Williams, M. L.: Strength and Toughness of Elastomers at Low Temperatures, 327
Brunner, A. J.: X-Ray Diffraction Pattern of Poly(vinyl Chloride), 379
Burmester, A. F., Dreyfuss, P., Geil, P., and Keller, A.: On the Annealing of Polyamide Crystal Mats, 769
Butler, G. B.: see Guilbault, L. J.
–: see Wagener, K. B.
Cerciat, B. and Riess, G.: Influence of Tetrahydrofuran on Methyl Methacrylate-$ZnCl_2$ and on Acrylonitrile-$ZnCl_2$ Complexes. Copolymerization of These Complexes with Styrene, 897
Chang, R. C.: see Ang, T. L.
Charlesby, A.: see Rao, K. N.
Chien, J. C. W., Boss, C. R., Jabloner, H., and Vandenberg, E. J.: Autoxidation of Polypropylene, 915
Coughlin, M. C. and Wunderlich, B.: Extended-Chain Crystals. VII. Lamellar and Fibrillar Spherulites in Selenium, 57
Daigle, D. J.: see Vigo, T. L.
Daly, W. H. and Hölle, H. J.: Polyarylsulfonimides, 519
Dan, E.: see Guillet, J. E.
Davison, J. B.: see Evans, R.
Dawans, F., Durand, J. P., and Teyssie, P.: Stereospecific Polymerization of 1,3-Butadiene by Perfluorocarboxylato Nickel Salts, 493
de Groot, K.: see de Visser, A. C.
DeMember, J. R., Haas, H. C., and MacDonald, R. L.: NMR of Vinyl Polymers. I. A New and Sensitive Probe for Configuration in Poly(vinyl chloride Alcohol) Polymer Chains, 385
De Schryver, F.: see Jacob, M.
de Souza Gomes, A. and do Couto Filho, O.: Studies on the Cationic Polymerization of Indene Initiated by Methyl Ethyl Ketone Peroxide in Liquid Sulfur Dioxide, 725
Devi, N. G. and Mahadevan, V.: Polymerization of Acrylamide Initiated by the Redox System Pinacol-Mn(III), 903
de Visser, A. C., de Groot, K., Feyen, J., and Bantjes, A.: Liquid Crystalline Acrylates and Their Polymers, 851

DeVries, K. L., Luntz, R. D. and Williams, M. L.: Effect of Torsion on Uniaxial Bond Rupture in Monofilament Nylon 66, 409
–: see Brown, R. T.
Dixit, S. S.: see Gaylord, N. G.
Doane, W. M.: see Gugliemelli, L. A.
do Couto Filho, O.: see de Souza Gomes, A.
Dreyfuss, P.: see Burmester, A. F.
Durand, J. P.: see Dawans, F.
Eisenberg, A. and Navratil, M.: Time-Temperature Superposition in Styrene-Based Ionomers, 537
Eldred, R. J.: Scanning Electron Microscopic Investigation of Fatigued Elastomers, 391
Eliassaf, J.: Detection of Small Quantities of Poly(vinyl Alcohol) in Poly(vinyl Chloride) Resins, 697
Ellis, E. J.: see Salamone, J. C.
Endo, K.: see Otsu, T.
Ergöz, E. and Mandelkern, L.: Swelling of Solution Formed Polyethylene Crystals, 631
Evans, R., Davison, J. B., and Napper, D. H.: The Preparation of Aqueous Entropically Stabilized Latices, 449
Facioni, E. and Martuscelli, E.: Solution-Grown Single Crystals of Trans-Polyoctenamer, 423
Falvo, L. A.: see Morton, M.
Faulkner, D. L.: see Allen, E. H.
Fetters, L. J.: Conformational Changes in Poly(n-Alkyl Isocyanates), 577
–: see Morton, M.
Feyen, J.: see de Visser, A. C.
Firth, W. C., Jr.,: Preparation of Aromatic Polysulfates and Copoly(sulfate Carbonates), 637
Ford, W. T.: see Newcomb, M.
Frayer, P. D. and Lando, J. B.: Polymerization in Electric Fields of Hexanethylenediammonium Adipate Crystallized on Graphite Fibers, 29
Friedman, E., Anderson, C., Roe, R. -J., and Tobolsky, A. V.: Solid State Morphology of Some Polypeptide Films, 839
Fujimura, T. and Tamura, N.: ESR Spectra of Radical Pairs in Irradiated Oriented Polyethylene, 469
Fujisaki, S.: see Tsubakiyama, K.
Fujisawa, T.: see Kobayashi, N.
Garbuglio, C.: see Modena, M.
Gargiulo, R. J.: see Golub, M. A.
Gaussen, R.: see Atkins, E. D. T.
Gaylord, N. G. and Maiti, S.: Effect of Azobisisobutyronitrile and other Dinitriles in Styrene-Methyl Methacrylate-$AlEt_{1.5}Cl_{1.5}$ Polymerization, 35
–, Takahashi, A., Kikuchi, S., and Guzzi, R. A.: Alternating Copolymer Graft Copolymers. V. "Carboxylation" of Polymers by in situ Spontaneous Bulk Polymerization of Styrene-Maleic Anhydride Complex, 95
– and Anand, L. C.: Cellulose Graft Copolymers. II. Grafting of Methacrylonitrile in the Presence of Ceric Ion or Ammonium Persulfate, 285
– and Anand, L. C.: Alternating Copolymer Graft Copolymers. VII. Cellulose Graft Copolymers. III. Grafting of Alternating Styrene-Acrylonitrile and Styrene-Methacrylonitrile Copolymers onto Cellulose in Absence of Metal Halide, 305
– and Patnaik, B. K.: Terpolymerization of Styrene-Methyl Methacrylate-Acrylonitrile in Presence of $Et_{1.5}AlCl_{1.5}$, 653
–, Patnaik, B. K., and Maiti, S.: "Cationic" Polymerization in Presence of Polar Solvents and Acrylic Monomers, 751
–, Maiti, S., and Dixit, S. S.: Cellulose Graft Copolymers, IV. Role of Aldehydes in Uncatalyzed Polymerization of Methyl Methacrylate in the Presence of Cellulose-Water, 855
Geil, P.: see Burmester, A. F.
Gleiter, H. and Petermann, J.: Deformation of "Substrate-Free" Polyethylene Single Crystlas, 877
Goldenberg, H.: see Breitenbach, J. W.
Goldfinger, G.: see Allen, E. H.
Golub, M. A. and Gargiulo, R. J.: Thermal Degradation of 1,4-Polyisoprene and 1,4-Polybutadiene, 41
Green, H. E.: see Meyers, R. A.
Grenader, S. K.: see Serdyuk, N.
Gugliemelli, L. A., Doane, W. M., Russell, C. R., and Swanson, C. L.: Starch-Cerium(IV) Complexes in Aqueous Media: Formation, Isolation, and Stability, 415
Guilbault, L. J., Turner, S. R., and Butler, G. B.: Spontaneous Copolymerization of 4-Phenyl-1,2,4-Triazoline-3,5-Dione with N-Vinyl Carbamates, 1
Guillet, J. E., Mitchell, R. S., Dan, E., and Valleau, J. P.: Light Scattering in Amor-

phous Poly(ethyl Methacrylate) at Low Temperatures, 625
Guzzi, R. A.: see Gaylord, N. G.
Haas, H. C. and MacDonald, R. L.: Dichotomies in the Viscosity Stability of Polyacrylamide Solutions. I, 461
–: see DeMember, J. R.
Hamersma, J. W.: see Meyers, R. A.
Hamoud, M. R., Vert, M., and Selegny, E.: Effects of Mineral Salts on the Properties of Polyamides in Alcoholic Solutions and Solid State, 361
Harwood, H. J.: see Ang, T. L.
–: see Shepherd, F.
Hayakawa, K.: see Yamakita, H.
Hayashi, K.: see Hiramoto, T.
–: see Irie, M.
Henson, F. C. and Yager, B. J.: Synthesis of a Thermally Stable Oligomer by Friedel-Crafts Acylation, 715
Hergnerother, W. L. and Ambrose, R. J.: Isocyanate Terminated Prepolymers from Anionic Polybutadiene and Toluene Diisocyanate, 679
Hermans, J. J.: see Marrucci, G.
Hibino, Y.: see Sumitomo, H.
Higashimura, T. and Hoshino, M.: Reinvestigation of the Steric Structure of Poly(methyl Propenyl Ether) Obtained by Cationic Catalysts, 269
Higgins, J. and Menon, C. S.: Polyquinoxalones, 129
– and Janović, Z.: Ladder Polybenzodipyrroloquinoxaline, 301
– and Janović, Z.: Polyanthrazolines, 357
Hinojosa, O. and Arthur, J. C., Jr.: Propagating Radical in Copolymerization of Methacrylic Acid with γ-Irradiated Cellulose, 161
Hirai, H. and Komiyama, M.: Formation Constants of the Complexes between Methyl Methacrylate and Stannic Chloride, 925
–: see Hiraki, K.
Hiraki, K., Kaneko, S., and Hirai, H.: Electron Spin Resonance Study on Polymerization of Methyl Methacrylate with n-Butyl Titanate (IV)Triethylaluminum Catalyst, 199
Hiramoto, T., Nishii, M., Hayashi, K., and Okamura, S.: Termination Mechanism in the Plastic Crystalline State Polymerization of 1,2-Cyclohexene Oxide, 511
Hirooka, M.: Complexed Radical Mechanism of Alternating Copolymerization of Vinyl Compounds, 171
–: see Tsuji, K.
Hölle, H. J.: see Daly, W. H.
Hoshino, M.: see Higashimura, T.
Hsiue, G. -H.: see Murakami, K.
Hsu, T. S.: see Jackson, J. F.
Hudis, M. and Prescott, L. E.: Surface Crosslinking of Polyethylene Produced by the Ultraviolet Radiation from a Hydrogen Glow Discharge, 179
Husemann, E.: see Bittiger, H.
Ichikawa, M.: see Noguchi, T.
Ikeda, S.: see Yamamoto, A.
Imamura, M.: see Tagawa, S.
Irie, M., Tomimoto, S., and Hayashi, K.: Photoinduced Ionic Polymerization. IV. Anionic Polymerization of Nitroethylene in Tetrahydrofuran, 699
Isaac, D. H.: see Atkins, E. D. T.
Israel, S. C.: see Salamone, J. C.
Iwakura, Y.: see Yagi, K.
Jabloner, H.: see Chien, J. C. W.
Jackson, J. F., Hsu, T. S., and Brasch, J. W.: Direct Microscopic Observations of the Crystallization Process of Polyethylene at High Pressure: Acicular Bladed Crystals, 207
Jacob, M., Smets, G., and De Schryver, F.: Influence of the Reaction Medium on the Radical Copolymerization, 669
Janović, Z.: see Higgins, J.
Jeziorny, A. and Kepka, S.: Preparation of Standard Amorphous Specimens for X-Ray Analysis of Fiber Crystallinity, 257
Kabaya, S.: see Tanaka, Y.
Kamogawa, H.: Preparation of Vinyl Polymer Containing Long Cholesteric Ester Side Chain, 7
–: Preparation of Chlorophyll Polymer, 711
–: Preparation of Polyene Polymer Containing Carotene Derivative as Polyene Unit, 929
Kaneko, S.: see Hiraki, K.
Kato, M. and Nakano, Y.: Radical Copolymerization of a Vinyl Monomer Bearing 3,5-di-tert-Butyl-4-Hydroxyphenyl Group, 157
– and Takemoto, Y.: Effect of Free Radical Species on Copolymerizability of Vinyl Monomer Bearing 3,5-di-tert-Butyl-4-Hydroxyphenyl Group, 489
Katsuta, N.: see Murakami, K.

Kawase, N.: see Ohno, A.
Kawazura, H. and Taketomi, T.: Poly-(Tetrahalophenylene Sulfides) and Semiconductive Materials Derived Therefrom, 265
Kéller, A.: see Burmester, A. F.
Kepka, S.: see Jeziorny, A.
Kessick, M. A.: Phenolic Resins Capable of Boron Complexation, 527
Kikuchi, S.: see Gaylord, N. G.
King, J. R.: see Thomson, R. A. M.
Kira, A.: see Tagawa, S.
Kito, N.: see Ohno, A.
Knauss, C. J., Myers, R. R., and Smith, P. S.: Graphical Representation of Dielectric Data for Poly(vinyl Alcohol), 737
Kobayashi, K. and Sumitomo, H.: Polymerization of Propiolaldehyde. I. Poly(ethynyl Oxymethylene), 703
Kobayashi, N., Osawa, A., and Fujisawa, T.: Sulfur Containing Polymers. III. Polyiminocarbamoylsulfenamides from Iminochloromethanesulfenyl Chlorides and Aromatic Diamines, 515
Komiyama, M.: see Hirai, H.
Komiyama, S.: see Yamashita, N.
Kondo, T.: see Tsuji, K.
Koppang, R.: An Approach to Yield Poly (N-Ethylimino-Perfluoro-1, 4-Phenylene), 781
Kormer, V. A. and Lobach, M. I.: Some Considerations on PMR Spectra of Butadiene Adducts to π-Allyl Nickel Complexes, 177
Korshak, V. V., Vinogradova, S. V., Vasnev, V. A. and Vasil'yev, A. V.: On Rotational Isomerism of Polyarylates, 429
Koshiro, S.: see Suzuki, T.
Krishnamurthy, S. and McIntyre, D.: Ordering in Polyisobutylene, 647
Kryszewski, M.: see Patora, J.
Kunitani, S.: see Yamashita, N.
Kurihara, Y.: see Tanaka, Y.
Kusumoto, N., Suehiro, K., and Takayanagi, M.: Radicals in γ-Irradiated Poly-3-Methyl-butene-1, 81
Lando, J. B.: see Frayer, P. D.
Lobach, M. I.: see Kormer, V. A.
Lundberg, R. D.: see Sartori, G.
Luntz, R. D.: see DeVries, K. L.
MacDonald, R. L.: see DeMember, J. R.
–: see Haas, H. C.
Machi, S.: see Watanabe, T.
Maeshima, T.: see Yamashita, N.
Mahadevan, V.: see Devi, N. G.
Maiti, S.: see Gaylord, N. G.
Mandelkern, L.: see Ergöz, E.
–: see Sharma, S. C.
Marrucci, G., Titomanlio, G., and Hermans, J. J.: Nonlinear Elastic Dumbbell in Elongational Flow, 195
Martuscelli, E.: see Facioni, E.
Matsuzaki, K.: see Uryu, T.
Mayo, F. R.: Oxidation of Polypropylene, 921
McGregor, R.: see Allen, E. H.
McIntyre, D.: see Krishnamurthy, S.
Menon, C. S.: see Higgins, J.
Meyers, R. A., Hamersma, J. W., and Green, H. E.: Paracyclophane Units: Versatile Segments for Polymer Chain Crosslink Formation, 685
Mikawa, H.: see Tada, K.
Misra, A. and Stein, R. S.: Light Scattering Studies of the Early Stages of the Crystallization of Poly(ethylene Terephthalate), 473
Mitchell, R. S.: see Guillet, J. E.
Modena, M., Garbuglio, C., and Ragazzini, M.: A New High Temperature Thermoplastic Material: Tetrafluoroethylene-Ethylene Copolymer, 153
Montaudo, G. and Overberger, C. G.: Effect of Strong Acids on the Circular Dichroism of Asymmetric Aromatic Polyamides, 433
Moorthy, P. N.: see Rao, K. N.
Morton, M., Falvo, L. A., and Fetters, L. J.: The Nature of the Active Chain-End in Organolithium Polymerization of Terminally Substituted 1,3-Butadienes, 561
Mukouyama, Y.: see Tanno, T.
Murakami, K. and Hsiue, G.-H.: Crosslinking Density of n_m (O) by Mechanical Method and that of n_s (O) by Swelling Method, 253
– and Ono, K.: Two-Step Plateau in the Rubbery Region of Stress Relaxation Spectrum of Blended Monodisperse Polymers, 593
–, Tamura, S., and Katsuta, N.: Kinetics of Degradation of Crosslinked Polymers, 619
– and Tamura, S.: Effect of New Crosslinkages on Continuous Chemical Stress Relaxation of Polymers, 941
Murakami, M.: see Shindo, Y.
Myers, R. R.: see Knauss, C. J.

Nagahama, H.: see Otsu, T.
Nakano, Y.: see Kato, M.
Nandanwar, V.: see Atkins, E. D. T.
Napper, D. H.: see Evans, R.
Navratil, M.: see Eisenberg, A.
Newcomb, M. and Ford, W. T.: Mechanism of 1,3-Pentadiene Polymerization by Pentadienyllithium in Tetrahydrofuran, 17
Nguyen, V. T.: see Papirer, E.
Nishida, T.: see Shindo, Y.
Nishii, M.: see Hiramoto, T.
Noguchi, T., Ichikawa, M., and Tamaru, K.: Stereospecific 1,4-Trans-Polybutadiene Formation by the Graphite-Potassium (C_8K and $C_{24}K$) Lamellar Compounds in the Presence of Alkyl Amines, 615
Nukada, K.: see Yoshizawa, Y.
Ohno, A., Kito, N., and Kawase, N.: Charge-Transfer Polymerization of N-Vinyl-carbazole with Photo-Excited Thiobenzophenone, 133
Okada, A.: see Tanaka, Y.
Okada, M.: see Sumitomo, H.
Okamura, S.: see Hiramoto, T.
Okawara, M.: see Ueno, Y.
Olaj, O. F.: see Breitenbach, J. W.
Ono, K.: see Murakami, K.
Osawa, A.: see Kobayashi, N.
Oshima, K.: see Tagawa, S.
Otsu, T., Nagahama, H., and Endo, K.: Monomer-Isomerization Polymerizations of Heptene-2, Heptene-3, and Octene-2 with Ziegler-Natta Catalyst, 601
Overberger, C. G.: see Montaudo, G.
Pae, K. D.: see Bhateja, S. K.
Papirer, E. and Nguyen, V. T.: Anionic Grafting on Silica, 167
Parrish, M. F.: see Brown, N.
Patel, R. D.: see Thakker, R. A.
Patnaik, B. K.: see Gaylord, N. G.
Patora, J., Piotrowski, J., Kryszewski, M., and Szymański, A.: Thermal Activation Energy of Electrical Conductivity and the Trap Structure of Poly(N-Vinyl Carbazole), 23
Peterlin, A.: Origin of Internal Viscosity in Linear Macromolecules, 101
Petermann, J.: see Gleiter, H.
Phillips, P. J. and Andrews, E. H.: Crystallization of Natural Rubber at High Pressures, 321
–: Some Electron Microscopical Investigations of Ionomeric Materials, 443
Pines, E. and Prins, W.: The Effect of Non-random Crosslinking on the Light Scattering of Swollen Polymer Networks, 719
Piotrowski, J.: see Patora, J.
Pistoia, G.: Electroinitiated Polymerization of Styrene in Propylene Carbonate, 787
Pittman, A. G.: see Roitman, J. N.
–: see Wasley, W. L.
Predecki, P. and Statton, W. O.: Extrusion of High Density Polyethylene below Its Melting Point, 87
Prescott, L. E.: see Hudis, M.
Prins, W.: see Pines, E.
Ragazzini, M.: see Modena, M.
Rao, K. N., Rao, M. H., Moorthy, P. N., and Charlesby, A.: Radiation Induced Grafting of Acrylic Acid and Methacrylic Acid on to Polyester (Terylene) Fibers, 893
Rao, M. H.: see Rao, K. N.
Riess, G.: see Cerciat, B.
Rodriguez, F.: Suitability of Equations for Viscosity Correlation over the Entire Concentration Range, 455
Roe, R. -J.: see Friedman, E.
Roitman, J. N. and Pittman, A. G.: Wetting Properties of Acrylic Polymers Containing Perfluoro-t-Butyl Side Chains, 499
Roylance, D. and Roylance, M.: Orientation Profile in Rolled Polypropylene, 273
Roylance, M.: see Roylance, D.
Russell, C. R.: see Gugliemelli, L. A.
Saitô, H.: see Yoshizawa, Y.
Saito, T.: see Tanno, T.
Sakakibara, Y.: see Tanaka, Y.
Salamone, J. C., Ellis, E. J., and Israel, S. C.: Polymerization of Vinylpyridinium Salts. V. Syntheses and Spontaneous Polymerization Studies of 2-Vinyl-N-Alkylpyridinium Salts, 605
Santee, E. R., Jr.: see Ang, T. L.
Sartori, G. and Lundberg, R. D.: Observations on the Copolymerization of Norbornene with Sulfur Dioxide, 583
Schamberg, E.: Sensitivity of Poly(ethylene Terephthalate) Graft Copolymers to Alkaline Media, 119
Schneier, B.: An Equation for Calculating the Solubility Parameter of Random Copolymers, 245
Sechrist, J. R.: see Wentworth, G.
Seiki, T.: see Tsuji, K.
Selegny, E.: see Hamoud, M. R.
Serdyuk, N. and Grenader, S. K.: Application of the Light Scattering Method to

the Determination of the Radii of Gyration of Particles of ≈100 A, 241
Sharma, S. C., Mandelkern, L., and Stehling, F. C.: Relation between Expansion Coefficients and Glass Temperature, 345
Sheehan, J. K.: see Atkins, E. D. T.
Shepherd, F. and Harwood, H. J.: Crystallinity in Equimolar Highly Alternating Butadiene-Methyl Methacrylate Copolymers, 799
Shimura, Y.: see Tanaka, Y.
Shindo, Y., Murakami, M., and Nishida, T.: On the Solution Properties of Chemically Dehydrochlorinated Poly(vinyl Chloride), 555
Shirota, Y.: see Tada, K.
Smets, G.: see Jacob, M.
Smith, P. S.: see Knauss, C. J.
Stannett, V.: see Williams, J. L.
Statton, W. O.: see Predecki, P.
Stehling, F. C.: see Sharma, S. C.
Stein, R. S.: see Misra, A.
Suehiro, K.: see Kusumoto, N.
Sumitomo, H., Okada, M., and Hibino, Y.: Cationic Polymerization of 6,8-Dioxabicyclo(3.2.1.)Octane, 871
–: see Kobayashi, K.
Suzuki, T., Koshiro, S., and Takegami, Y.: 220 MHz NMR Spectra of Polybutene-1, 829
Swanson, C. L.: see Gugliemelli, L. A.
Szymański, A.: see Patora, J.
Tabata, Y.: see Tagawa, S.
Tada, K., Shirota, Y., and Mikawa, H.: Mechanism of Charge-Transfer Polymerization: Photoinduced Alternating Copolymerization of N-Vinylcarbazole with Electron-Accepting Monomers, 691
Tagawa, S., Arai, S., Kira, A., Imamura, M., Tabata, Y., and Oshima, K.: Pulse Radiolysis Study of Polymerization of Vinylcarbazole in Benzonitrile Solutions, 295
Takahashi, A.: see Gaylord, N. G.
Takayanagi, M.: see Kusumoto, N.
Takegami, Y.: see Suzuki, T.
Takehisa, M.: see Watanabe, T.
Takemoto, Y.: see Kato, M.
Takeshita, T.: see Tsuji, K.
Taketani, Y.: see Yuki, H.
Taketomi, T.: see Kawazura, H.
Tamaru, K.: see Noguchi, T.
Tamura, N.: see Fujimura, T.
Tamura, S.: see Murakami, K.
Tanaka, Y., Kabaya, S., Shimura, Y., Okada, A., Kurihara, Y., and Sakakibara, Y.: Polymerization of Mesomorphic Monomers. I. Bulk Polymerization of Cholesteryl Methacrylate, 261
Tanno, T., Mukouyama, Y., and Saito, T.: Tertiary Butyl Proton Signals in PMR Spectrum of Acetylated P-Tert-Butylphenol Formaldehyde Resin, 51
Teyssie, P.: see Dawans, F.
Thakker, R. A., Patel, C. K., and Patel, R. D.: Crystallization of Amylose Triacetate, 505
Thomson, R. A. M., Walters, I. R., and King, J. R.: Determination of the Transfer Constant with Bromotrifluoromethane in the Polymerization of Styrene, 63
Titomanlio, G.: see Marrucci, G.
Tobolsky, A. V.: see Friedman, E.
Toda, F.: see Yagi, K.
Tomimoto, S.: see Irie, M.
Tsubakiyama, K. and Fujisaki, S.: Photosensitized Initiation of Vinyl Polymerization by a System of Ferrocene and Carbon Tetrachloride, 341
Tsuji, K. and Seiki, T.: Electron Spin Resonance Study of Polypropylene Irradiated with Ultraviolet Light: Mechanism of Radical Formation, 139
– and Takeshita, T.: ESR Observation of Transient Acyl Radicals in Polyethylene Irradiated in the Presence of CO, 185
–, Kondo, T., Takeshita, T., and Hirooka, M.: ESR Study on Photolysis of Ethylaluminumchlorides, 189
Turner, S. R.: see Guilbault, L. J.
–: see Wagener, K. B.
Ueno, Y. and Okawara, M.: Iminodithiocarbonates. IX. Syntheses and Polymerizations of 2-Vinylimino- and 2-β-Iodoethylimino-1,3-Dithiolane, 11
Uryu, T. and Matsuzaki, K.: Preparation and NMR Spectra of Isotactic Poly(ethyl-α-Chloroacrylate), 867
Valleau, J. P.: see Guillet, J. E.
Vandenberg, E. J.: see Chien, J. C. W.
Vanderschueren, J.: Thermodepolarization Currents of Poly(methyl Methacrylate) Thermoelectrets, 543
Van Landuyt, D. C.: Anionic Polymerization of 1-Ferrocenyl-1,3-Butadiene, 125
Vasil'yev, A. V.: see Korshak, V. V.
Vasnev, V. A.: see Korshak, V. V.
Vert, M.: see Hamoud, M. R.
Vigo, T. L., Daigle, D. J., and Welch, C. M.:

Reaction of Cellulose with Chlorodimethylformiminium Chloride and Subsequent Reaction with Halide Ions, 397
Vinogradova, S. V.: see Korshak, V. V.
Wada, T.: see Watanabe, T.
Wagener, K. B., Turner, S. R., and Butler, G. B.: A Propagation Mechanism Involving an Alternating Diels-Alder-Ene Reaction Sequence, 805
Walters, I. R.: see Thomson, R. A. M.
Wasley, W. L., and Pittman, A. G.: Polymers Derived from Fluoroketones. V. Copolymers of Fluoroalkyl Ethers and Maleic Anhydride, 279
Watanabe, T., Wada, T., Machi, S., and Takehisa, M.: Molecular Weight Distribution of Polyethylene Produced by Radiation Polymerization in a Heterogeneous System, 741
Welch, C. M.: see Vigo, T. L.
Wentworth, G. and Sechrist, J. R.: Alternating Terpolymer Formation in the System Acrylonitrile-Propylene-Vinylidene Chloride, 843
Wilkes, G. L.: Unique Highly Developed Superstructure in Films of Poly(γ-Benzyl-L-Glutamate) Cast in a Magnetic Filed, 935
Williams, J. L. and Stannett, V.: Post-Decrystallization of Grafted Fibers to Yield Highly Elastic Fibers, 665
Williams, M. L.: see Brown, R. T.
–: see DeVries, K. L.
Wrasidlo, W.: Giant Crystals from Polymer-Solvent Complexes, 437
Wunderlich, B.: see Coughlin, M. C.
Yager, B. J.: see Henson, F. C.
Yagi, K., Toda, F., and Iwakura, Y.: Formation of Dipyridyls in the Reaction of Living α-Methylstyrene Tetramer with Pyridine, 113
Yamada, A. and Yanagita, M.: Copolymerization Behavior of Acrylonitrile with other Monomers in the Presence of Ethyl Aluminum Dichloride, 91
– and Yanagita, M.: Triad Probability Relation in a Thermodynamical Scheme, 107
Yamakita, H. and Hayakawa, K.: Alternating Copolymer Grafting onto Polymer Films by a Vapor-Phase Grafting Technique, 823
Yamamoto, A.: see Yamamoto, T.
Yamamoto, T., Yamamoto, A., and Ikeda, S.: On the Opening of Double Bond in the Polymerization of Methyl Methacrylate Initiated by Diethylbis(Dipyridyl) Iron, 835
Yamashita, N., Yoshihara, M., and Maeshima, T.: Polymerization of Acrolein in the Presence of Acrylamide Induced by Pyridine and Water System, 643
–, Kunitani, S., Komiyama, S., Yoshihara, M., and Maeshima, T.: Copolymerization of 2-Vinyl-4-Substituted-1,3-Dioxolanes with Acrylonitrile, 675
Yanagita, M.: see Yamada, A.
Yeh, G. S. Y.: see Brady, T. E.
Yoshihara, M.: see Yamashita, N.
Yoshizawa, Y., Saitô, H., and Nukada, K.: A Direct Observation of the Crosslinking Unit in Thermally Degraded Polyamides, 145
Yuki, H. and Taketani, Y.: Poly-β-(α-Isobutyl L-Aspartate), 373

SUBJECT INDEX, VOLUME 10

Acrolein, polymerization, induced by pyridine and water system, 643
Acrylamide, polymerization, 903
Acrylamide reactivity, influence of reaction medium on radical copolymerization, 669
Acrylates, liquid crystalline and their polymers, 851
Acrylic acid, and methacrylic acid, radiation induced grafting on to polyester fibers, 893
Acrylic polymers, wetting properties, containing perfluoro-t- butyl side chains, 499
Acrylic-$ZnCl_2$ complexes, effect of tetrahydrofuran on, copolymerization with styrene, 897
Acrylonitrile, copolymerization behavior, in the presence of ethyl aluminum dichloride, 91
copolymerization with 2-vinyl-4 substituted-1,3-dioxolanes, 675
terpolymer formation with propylene-vinylidene chloride, 843
terpolymerization with styrene and methyl methacrylate, 653
Alternating graft copolymers, 95, 305
Amorphous specimens, standard, preparation for x-ray analysis of fiber crystallinity, 257
Amylose triacetate, crystallization of, 505
Annealing, effect of, on cold drawn polycarbonate, 731
Autoxidation, of polypropylene, 915
Boron complexation, phenolic resins capable of, 527
1,3-Butadiene, organolithium polymerization, nature of active chain-end in, 561
stereospecific polymerization of, 493
Butadiene adducts to π-allyl nickel complexes, PMR spectra considerations, 177
Butadiene-Methyl methacrylate, highly alternating copolymers, crystallinity of, 799
p-tert-butylphenol formaldehyde resin, butyl proton signals in PMR spectrum, 51
Bromtrifluoromethane, for determination of transfer constant in styrene polymerization, 63
Cellulose, γ-irradiated, copolymerization with methacrylic acid, propagating radical in, 161
precipitated, crystal morphology of, 549
reaction with chlorodimethylformiminium chloride, 397
Cellulose graft copolymers, 285, 305, 855
Cerium (IV), starch- complexes, formation, stability, and isolation, in aqueous media, 415
Chain folding conformation, in polyamides, models from cyclic oligomers structures, 759
Cholesteryl methacrylate, bulk polymerization of, 261
Chlorodimethylformiminium chloride, reaction with cellulose, 397
Chlorophyll polymer, preparation of, 711
Chondroitin-6-sulphite, x-ray fiber diffraction patterns, 863
Circular dichroism, effect of strong acids on, in aromatic polyamides, 433
Color, discontinuous substrates, effect of continuous medium on, 203
Copolymerization, alternating, of N-vinylcarbazole with electron-accepting monomer, 691
alternating, of vinyl compounds, complexed radical mechanism of, 171
of acrylonitrile, behavior in the presence of ethyl aluminum dichloride, 91
of norbornene with sulfur dioxide, 583
of vinyl monomer, effect of radical species on, 489
of 2-vinyl-4 substituted-1,3-dioxolanes with acrylonitrile, 675
propagating radical in, methacrylic acid with γ-irradiated cellulose, 161
radical, influence of reaction medium, 669
radical, of vinyl monomer, 157
spontaneous, of phenyl - 1,2,4 triazoline dione with N-vinyl carbamates, 1
Copolymers, random, equation for calculating solubility parameter, 245

Copoly(sulfate carbonates), preparation of, 637
Crosslinking, surface, of polyethylene, by ultraviolet radiation, 179
Crosslinking density, of $n_M(0)$ by mechanical method, and $n_S(0)$ by swelling method, 253
Crosslinking unit, in thermally degraded polyamides, 145
Crystallinity, in equimolar butadiene-methyl methacrylate alternating copolymers, 799
Crystallization, of amylose triacetate, 505
of natural rubber, 321
Crystallization process, of polyethylene, direct microscopic observation, 207
Crystal mats, polyamide, annealing of, 769
Crystal morphology, of precipitated cellulose, 549
of precipitated mannan, 367
Crystals, extended-chain, lamellar and fibrillar spherulites in selenium, 57
giant, from polymer-solvent complexes, 437
polyethylene, swelling in solution, 631
single "substrate free", of polyethylene, deformation of, 877
solution-grown, single, of trans-polyactenamer, 423
1,2-Cyclohexene oxide, termination mechanism in crystalline state polymerization, 511
Degradation kinetics, of crosslinked polymers, 619
Dielectric data, on poly(vinyl alcohol), graphically represented, 737
Diels-Alder-ene reaction sequence, alternating, propagation mechanism involving, 805
Dinitriles, effect on polymerization of styrene-methyl methacrylate-$AlEt_{1.5}$-$Cl_{1.5}$, 35
Dipyridyls, formed in reacting α-methylstyrene tetramer with pyridine, 113
6,8 Dioxabicyclo(3.2.1.)octane, cationic polymerization of, 871
Divinylbenzene systems, ESR signals in polymerization of, 911
Dumbbell, nonlinear elastic, in elongation flow, 195
Elastomers, fatigued, scanning electron microscopic investigation of, 391
strength and toughness at low temperatures, 327
Electrical conductivity, of poly(N-vinyl carbazole, 23
Electron microscopic investigations, of ionomeric materials, 443
Electron spin resonance, see ESR
Elongation flow, nonlinear elastic dumbbell in, 195
Equations, suitability for viscosity correlation, over entire concentration range, 455
ESR, observation of acyl radicals in irradiated polyethylene, 185
signals in polymerization of styrene divinylbenzene systems, 911
spectra of radical pairs in irradiated oriented polyethylene, 469
study on photolysis of ethylaluminum-chlorides, 189
study of polymerization of methyl methacrylate, 199
study of polypropylene irradiated with ultraviolet light, 139
Ester, side chain, long cholesteric, in vinyl polymer, 7
Ethylaluminumchlorides, ESR study on photolysis of, 189
Ethylene-tetrafluorethylene copolymers, new thermoplastic material, 153
Expansion coefficients, relation to glass temperature, 345
Extrusion, of high density polyethylene, below melting point, 87
Ferrocenyl-1,3-butadiene, anionic polymerization of, 125
Fibers, grafted, post-decrystallization, yielding highly elastic fibers, 665
Fiber crystallinity, x-ray analysis of, specimen preparation, 257
Films, of poly(γ-benzyl-L-glutamate), developed superstructure when cast in magnetic field, 935
Fluoroalkyl ethers, copolymers from fluoroketones, 279
Friedel-Crafts acylation, synthesis of stable oligomer, 715
Glass temperature, relation to expansion coefficients, 345
Grafted fibers, highly elastic, post decrystallization, 665
Grafting, anionic, on silica, 167
Grafting technique, vapor-phase, grafting onto polymer films, 823
Graphite-potassium lamellar compounds, for formation of stereospecific 1,4-trans-

polybutadiene, 615
Heptanes, polymerization with Ziegler-Natta catalyst, 601
Hexanethylenediammonium adipate, polymerization in electric fields, 29
Iminodithiocarbonates, syntheses and polymerization, 11
Indene, polymerization of, initiated by methyl ethyl ketone peroxide, 725
Ionomers, styrene-based, time-temperature superposition, 537
Isomerism, rotational, of polyarylates, 429
Latices, stabilized, aqueous entropical preparation of, 449
Light scattering, effect of nonrandom crosslinking on, in swollen polymer networks, 719
in amorphous poly(ethyl methacrylate), 625
method to determine radii of gyration of 100Å particles, 241
studies of crystallization of poly(ethylene terephthalate), 473
Macromolecules, linear, origin of internal viscosity, 101
Maleic anhydride, copolymers from fluoroketones, 279
Mannan, precipitated, crystal morphology of, 367
Mechanical behavior, of elastomers at low temperatures, 327
of polyimide, effects of hydrostatic pressure on, 531
Medium, continuous, effect on color discontinuous substrates, 203
Methacrylic acid, and acrylic acid, radiation induced grafting on to polyester fibers, 893
propagating radical, in copolymerization with γ-irradiated cellulose, 161
Methacrylonitrile, grafting in presence of ceric ion or ammonium persulfate, 285
Methyl methacrylate, and butadiene, equimolar highly alternating copolymers, crystallinity, 799
and stannic chloride formation constants of the complexes between, 925
ESR study of polymerization, 199
uncatalyzed polymerization, role of aldehydes in, 855
polymerization of, opening of double bond, 835
terpolymerization with styrene and acrylonitrile, 653
Mineral salts, effect on polyamide properties, 361
Molecular weight distribution, of polyethylene, produced by radiation polymerization, 741
Monofilament, uniaxial bond rupture, effect of torsion on, 409
$n_M(0)$, crosslinking density by mechanical method, 253
$n_S(0)$, crosslinking density by swelling method, 253
Nitroethylene, anionic polymerization, photoinduced, 699
Nitrogen, liquid, effect on tensile strength of polyethylene and polytetrafluoroethylene, 777
NMR, triad probability relation in thermo dynamical scheme, 107
spectra of isotactic poly(ethyl α-chloroacrylate, 867
spectra of polybutene-1, 829
spectroscopic characterization of 1,1,4,4-tetradeuteriobutadiene-methacrylonitrile alternating copolymers, 791
of vinyl polymers, 385
Norbornene, copolymerization with sulfur dioxide, 583
Nuclear magnetic resonance, see NMR
Nylon 66, monofilament, effect of torsion on bond rupture, 409
Octane, polymerization with Ziegler-Natta catalyst, 601
Oligomer, stable, synthesized by Friedel-Crafts acylation, 715
Orientation profile, in rolled polypropylene, 273
Oxidation, of polypropylene, 921
Paracyclophane units, segments for polymer chain crosslink formation, 685
1,3-Pentadiene, polymerization initiation mechanism, 17
Perfluoro-t-butyl, side chains in acrylic polymers, wetting properties, 499
Phenolic resins, capable of boron complexation, 527
Phenyl-1,2,4-triazoline-3,5-dione, spontaneous copolymerization with N-vinyl carbamates, 1
Photosensitized initiation of vinyl polymerization, 341
Polyacrylamide solutions, dichotomies in viscosity stability, 461
trans-Polyactenamer, solution-grown single crystals of, 423

Poly(n-alkyl isocyanates), conformational changes in, 577
Polyamide crystal mats, annealing of, 769
Polyamides, aromatic, strong acid effects on circular dichroism, 433
chain folding conformations, 759
properties, effect of mineral salts on, 361
thermally degraded, crosslinking unit in, 145
Poly(α-amino acid), preparation of optically active, 373
Polyanthrazolines, 357
Polyarylates, rotational isomerism of, 429
Polyarylsulfonimides, 519
Polybenzodipyrroloquinoxaline, ladder, 301
Polybutadiene, anionic, isocyanate terminated prepolymers from, 679
Polybutene-1, NMR spectra of, 829
1,4-Polybutadiene, thermal degradation of, 41
Polycarbonate, cold drawn, effect of annealing on, 731
Polyene polymer, continuing carotene derivative as polyene unit, preparation, 929
Polyester fibers, radiation induced grafting of acrylic and methyl methacrylic acids on to, 893
Poly(ethyl α-chloroacrylate), isotactic, preparation and NMR spectra, 867
Polyethylene, crystallization process, direct microscopic observation of, 207
crystals, swelling in solution, 631
effect of liquid nitrogen on tensile strength, 777
electron microscopic investigations of, 443
high density, extrusion below its melting point, 87
irradiated, ESR observation of transient acyl radical, 185
irradiated oriented, ESR spectra of radical pairs, 469
molecular weight distribution, produced by radiation polymerization, 741
single crystals, "substrate free", deformation of, 877
surface crosslinking, by ultraviolet radiation, 179
Poly(ethylene terephthalate) graft copolymers, sensitivity to alkaline media, 119
light scattering studies of crystallization, 473
Poly(N-ethylimino-perfluoro-1,4-phenylene), an approach to yield, 781
Poly(ethyl methacrylate), amorphous, light scattering in, 625
Poly(ethynyl oxymethylene), polymerization of, 703
Poly(γ-benzyl-L-glutamate) films, developed superstructure, cast in magnetic field, 935
Polyimide, hydrostatic pressure effects on mechanical behavior of, 531
Polyiminocarbamoylsulfenamides, from iminochloromethanesulfenyl chlorides and aromatic diamines, 515
Polyisobutylene, ordering in, 647
Poly-β-(α-isobutyl L-aspartate), 373
1,4-Polyisoprene, thermal degradation of, 41
Polymer, derived from fluoroketones, 279
Polymer chain crosslink formation, from paracyclophane units, 685
Polymer films, alternating copolymer grafting onto by vapor-phase grafting technique, 823
Polymerization, anionic, of ferrocenyl-1,3-butadiene, 125
cationic, of 6,8-dioxabicyclo-(3,2.1.) octane, 871
cationic, in polar solvant and acrylic monomers, 751
cationic, of indene initiated by methyl ethyl ketone peroxide, 725
charge-transfer, mechanism of, 691
charge-transfer, of N-vinylcarbazole, with photo-excited thiobenzophenone, 133
electroinitiated, of styrene, 787
in plastic crystalline state, of 1,2-cyclohexene oxide, 511
monomer-isomerization, of heptanes and octane with Ziegler-Natta catalyst, 601
of acrylamide, 903
of acrolein, induced by pyridine and water system, 643
of hexanethylenediamonium adipate, in electric fields, 29
of iminodithiocarbonates, 11
of mesomorphic monomer, (cholesteryl methacrylate), 261
of methyl methacrylate, ESR study of, 199
of methyl methacrylate opening of double bond, 835
of 1-3-pentadiene, initiation mechanism, 17
of propiolaldehyde, yielding Poly(ethynyl oxymethylene), 703

of styrene, determination of transfer constant, with bromotrifluoromethane, 63
of styrene-methyl methacrylate-$AlEt_{1.5}$, effect of dininitriles on, 35
of vinyl, photosensitized initiation, 341
of vinylcarbazole, pulse radiolysis study of, 295
of vinylpyridinium salts, 605
organolithium, of 1,3-butadiene, nature of active chain-end in, 561
photoinduced anionic, of nitroethylene, 699
radiation, of polyethylene, molecular weight distribution produced, 741
stereospecific, of 1,3-butadiene, 493
uncatalyzed, of methyl methacrylate, role of aldehydes in, 855
Polymer networks, swollen, effect of nonrandom crosslinking on light scattering in, 719
Polymers, aromatic, polyarylsulfonimides synthesized from, 519
blended monodisperse, 2-step plateau in rubbery region of stress relaxation spectrum, 593
containing sulfur, 515
crosslinked, kineteics of degradation, 619
effect of new crosslinkages on continuous chemical stress relaxation, 941
of liquid crystalline acrylates, 851
Polymer-solvent complexes, giant crystals from, 437
Poly-3-methylbutene-1, radicals in, γ-irradiated, 81
Poly(methyl methacrylate) thermoelectrets, thermodepolarization currents of, 543
Poly(methyl propenyl ether), steric structure by cationic catalysts, 269
Polypeptide films, solid state morphology of, 839
Polypropylene, autoxidation of, 915
oxidation of, 921
irradiated with ultraviolet light, ESR study, 139
rolled, orientation profile, 273
Polyquinoxalones, 129
Polysulfate, aromatic, preparation, 637
Polytretafluoroethylene, effect of liquid nitrogen on tensile strength, 777
Poly(tetrahalophenylene sulfides), and semiconductive materials derived from, 265
Poly(vinyl alcohol), detection in poly(vinyl chloride) resins, 697
dielectrical data graphically represented, 737
Poly(N-vinyl carbazole), thermal activation energy of electrical conductivity and trap structure, 23
Poly(vinyl chloride), resins, detection of poly (vinyl alcohol) in, 697
solution properties of chemically dehydrochlorinated, 555
x-ray diffraction pattern, 379
Poly(vinyl chloride alcohol), probe for polymer chain configuration, 385
PMR spectra, butadiene adducts to π-allyl nickel complexes, 177
butyl proton signals of p-tert-butylphenol formaldehyde resins, 51
Propylene, terpolymer formation with acrylonitrile- vinylidene chloride, 843
Proton magnetic resonance, see PMR
Pulse radiolysis study, of vinylcarbazole polymerization, 295
Pyridine, dipyridyls formed in reaction with α-methylstyrene tetramer, 113
Radicals, in γ-irradiated poly-3-methylbutene-1, 81
Radii of gyration, determined by light scattering method, for 100 Å particles, 241
Rubber, natural, crystallization of, 321
Scanning electron microscopic investigation, of fatigued elastomers, 391
Selenium, extended-chain crystal in, 57
Semiconductive materials, poly(tetrahalophenylene sulfides) and derivatives, 265
Silica, anionic grafting, on, 167
Solubility parameter, equation for calculating, for random copolymers, 245
Solution properties, of chemically dehydrochlorinated poly(vinyl chloride), 555
Stanninc chloride, and methyl methacrylate, formation constants of the complexes between, 925
Starch-cerium complexes (IV), formation, isolation, and stability in aqueous media, 415
Steric structure, of poly(methyl propenyl ether), 269
Stress relaxation, spectrum, 2-step plateau in rubbery region of blended monodisperse polymers, 593
continuous chemical, effect of new crosslinkages in polymer, 941
Styrene and acrylonitrile, alternating copolymer, grafting, 305
and divinylbenzene systems, ESR signals

in polymerization of, 911
and maleic anhydride complex, bulk polymerization of, alternating graft copolymers, carboxylation, 95
and methacrylonitrile, alternating copolymer, grafting, 305
copolymerization with acrylic-$ZnCl_2$ complexes, 897
electroinitiated polymerization, in propylene carbonate, 787
terpolymerization with methyl methacrylate and acrylonitrile, 653
Sulfur dioxide, copolymerization with norbornene, 583
Syntheses, of iminodithiocarbonates, 11
of 2-vinyl-N- alkylpyridinium, 605
Terpolymer, alternating, formation in acrylonitrile-propylene-vinylidene chloride, 843
Terpolymerization, of styrene-methyl methacrylate-acrylonitrile, 653
1,1,4,4,-Tetradeuteriobutadiene-methacrylonitrile, alternating copolymers, synthesis and characterization by NMR, 791
Tetrafluoroethylene-ethylene copolymer, new thermoplastic material, 153
Tetrahydrofuran, influence on acrylic-$ZnCl_2$ complexes, 897
Thermal degradation, of 1,4-polyisoprene and 1,4-polybutadiene, 41
Thermodepolarization currents, of poly(methyl methacrylate) thermoelectrets, 543
Thermoplastic material, new, tetrafluoroethylene-ethylene copolymer, 153
Time-temperature superposition, in styrene-based ionomers, 537
Toluene diisocyananate, isocyanate terminated prepolymers from, 679
1,4-Trans polybutadiene, stereospecific formation, 615
Trap structure, of Poly(N-vinyl carbazole, 23
Triad probability relation, in thermodynamical scheme, 107
2-Vinyl-N-alkypyridinium salts, syntheses and spontaneous polymerization, 605
Vinylcarbazole, pulse radiolysis study of polymerization, 295
N-Vinylcarbazole, charge-transfer polymerization of, with photo-excited thiobenzophenone, 133
copolymerization with electron-accepting monomer, 691
Vinyl compounds, copolymerization, radical mechanism of, 171
Vinylidene chloride, terpolymer formation with acrylonitrile-propylene, 843
Vinyl monomer, copolymerization, effect of radical species on, 489
radical copolymerization of, 157
Vinyl polymer, preparation containing long cholesteric ester side chain, 7
Vinyl polymerization, photosensitized initiation, 341
2-Vinyl-4-substituted-1,3-dioxolanes, copolymerization with acrylonitrile, 675
Viscosity, origin, in linear macromolecules, 101
stability, dichotomies in polyacrylamide solutions, 461
Viscosity correlation, suitability of equations for, over entire concentration range, 455
X-ray analysis, of fiber crystallinity, amorphous specimen preparation for, 257
X-ray diffraction patterns, from chondroitin-6-sulphate, 863
of poly(vinyl chloride), 379
Ziegler-Natta catalyst, monomer-isomerization polymerization of heptanes and octane with, 601
$ZnCl_2$-acrylic complexes, effect of tetrahydrofuran on, copolymerization with styrene, 897